

## Compressed Air Products

### Shipping Dimensions and Weights

Notes

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Airmac 240 Volt Air Compressors</b>					
AM V13 240V	Airmac V13 240V	1,150	378	820	87
AM V13-H 240V	Airmac V13-H 240V	1,150	378	840	86
AM T17 240V	Airmac T17 240V	1,150	378	850	100
AM T17-H 240V	Airmac T17-H 240V	1,150	378	870	99
AM T20-H 240V	Airmac T20-H 240V	1,150	378	870	100
AM HT20 240V	Airmac HT20 240V 175psi	1,150	378	870	105
AM T20LG 240V	Airmac T20LG 240V	1,165	378	940	112
AM T20 240V	Airmac T20 240V	1,165	378	940	112
AM T20-120L 240V	Airmac T20-120L 240V	1,165	500	1,070	137
AM TT40 240V	Airmac TT40 240V	1,850	540	1,080	230
<b>Airmac 415 Volt Air Compressors</b>					
AM T20 415V	Airmac T20 415V	1,205	440	940	132
AM HT20 415V	Airmac HT20 415V	1,205	440	940	136
AM B23 415V	Airmac B23 415V	1,570	530	1,120	201
AM V25 415V	Airmac V25 415V	1,540	530	1,060	194
AM B29 415V	Airmac B29 415V	1,540	580	1,210	265
AM T30 415V	Airmac T30 415V	1,540	570	1,170	242
AM V40 415V	Airmac V40 415V	1,610	670	1,280	353
AM B52 415V	Airmac B52 415V	1,920	730	1,395	450
AM T55 415V	Airmac T55 415V	1,920	710	1,380	427
AM T75 415V	Airmac T75 415V	2,020	790	1,555	566
<b>Airmac Honda Petrol Air Compressors</b>					
AM V16P	Airmac V16P	1,150	378	890	93
AM V16P-H	Airmac V16P-H	1,150	378	910	93
AM T20P	Airmac T20P	1,150	378	910	107
AM T20P ES	Airmac T20P Electric Start	1,150	378	910	110
AM T20P-H	Airmac T20P-H	1,150	378	910	110
AM T20P-H ES	Airmac T20P-H Electric Start	1,150	378	910	113
AM T20P-100L	Airmac T20P-100L	1,165	378	940	123

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Airmac Honda Petrol Air Compressors</b>					
AM T20P-100L ES	Airmac T20P-100L Electric Start	1,165	378	940	126
AM HT20P-H	Airmac HT20P-H 175psi	1,150	378	910	114
AM HT20P-H ES	Airmac HT20P-H Electric Start 175psi	1,150	378	910	117
AM T20P-120L	Airmac T20P-120L	1,165	500	1,135	153
AM T20P-120L ES	Airmac T20P-120L Electric Start	1,165	500	1,135	156
AM V25P	Airmac V25P	1,570	530	1,120	193
AM V25P ES	Airmac V25P Electric Start	1,570	530	1,120	196
AM B24P	Airmac B24P 175psi	1,165	560	1,170	180
AM B24P ES	Airmac B24P Electric Start 175psi	1,165	560	1,170	183
AM T30P	Airmac T30P	1,570	530	1,120	214
AM T30P ES	Airmac T30P Electric Start	1,570	530	1,120	217
AM B35P ES	Airmac B35P Electric Start 175psi	1,165	610	1,275	241
AM V40P ES	Airmac V40P Electric Start	1,540	580	1,175	284
AM T55P ES	Airmac T55P Electric Start	1,560	620	1,255	319
<b>Airmac Yanmar Diesel Air Compressors</b>					
AM T20D	Airmac T20D	1,150	378	990	125
AM T20D ES	Airmac T20D Electric Start	1,150	378	990	132
AM HT20D	Airmac HT20D 175psi	1,150	378	990	125
AM HT20D ES	Airmac HT20D Electric Start 175psi	1,150	378	990	132
AM B24D ES	Airmac B24D Electric Start 175psi	1,165	560	1,170	201
AM T30D ES	Airmac T30D Electric Start	1,570	530	1,120	238
AM B35D ES	Airmac B35D Electric Start 175psi	1,165	610	1,275	266
AM V40D ES	Airmac V40D Electric Start	1,540	580	1,210	321
<b>Airmac Multi Function Air Compressors</b>					
AM V13 MFC 240V	Airmac V13 MFC 240V	1,060	790	705	104
AM T20P MFC	Airmac T20P MFC	1,140	900	785	131
AM T20P MFC ES	Airmac T20P MFC Electric Start	1,140	900	785	134
AM T20D MFC	Airmac T20D MFC	1,140	900	815	149
AM T20D MFC ES	Airmac T20D MFC Electric Start	1,140	900	815	156

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
Airmac 415 Volt Oil Free Compressors					
AM V30-OF 415V	Airmac V30-OF 415V	1,540	610	1,245	285
AM T40-OF 415V	Airmac T40-OF 415V	1,630	710	1,480	471
AM T55-OF 415V	Airmac T55-OF 415V	1,920	720	1,530	520

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Puma Direct-Drive Air Compressors</b>					
PU 125-8L	Puma 125-8L	530	220	530	18
PU 190-24L	Puma 190-24L	600	310	640	29
PU 295-40L	Puma 295-40L	710	380	670	49
<b>Puma 240 Volt Air Compressors</b>					
PU P13 240V	Puma P13 240V	970	370	770	89
PU P15 240V	Puma P15 240V	970	370	770	91
PU P17 240V	Puma P17 240V	970	370	770	95
PU P20 240V	Puma P20 240V	1,160	370	820	115
<b>Puma 415 Volt Air Compressors</b>					
PU P25 415V	Puma P25 415V	1,520	610	1,025	221
PU P30 415V	Puma P30 415V	1,670	620	1,065	252
PU P40 415V	Puma P40 415V	1,630	710	1,245	375
PU P55 415V	Puma P55 415V	1,940	730	1,295	427
PU P75 415V	Puma P75 415V	1,960	780	1,350	552
<b>Puma Honda Petrol Air Compressors</b>					
PU P18H	Puma P18H	1,010	370	890	104
PU P22H	Puma P22H	1,130	370	830	124
PU P22H ES	Puma P22H Electric Start	1,130	370	830	127
PU P30H	Puma P30H	1,530	570	1,070	241
PU P30H ES	Puma P30H Electric Start	1,530	570	1,070	244
PU P55H ES	Puma P55H Electric Start	1,680	600	1,160	309
<b>Puma Yanmar Diesel Air Compressors</b>					
PU P18Y	Puma P18Y	980	390	960	114
PU P18Y ES	Puma P18Y Electric Start	980	390	960	119
PU P22Y	Puma P22Y	1,130	410	910	132
PU P22Y ES	Puma P22Y Electric Start	1,130	410	910	137
PU P30Y ES	Puma P30Y Electric Start	1,530	570	1,110	254
PU P40Y ES	Puma P40Y Electric Start	1,680	600	1,140	292

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Puma 415 Volt Silent Air Compressors</b>					
PU P30S 415V	Puma P30S 415V	910	810	1,260	271
PU P40S 415V	Puma P40S 415V	1,030	890	1,440	388
PU P55S 415V	Puma P55S 415V	1,030	890	1,440	425
<b>Puma Display Stand</b>					
PU S-9876183	Puma Display Stand (LG)	1,160	850	170	36

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Senator GS-B Series Air Compressors</b>					
SE GS4-B-8	Senator GS4-B	1,050	815	1,200	259
SE GS6-B-8	Senator GS6-B	1,050	815	1,200	276
SE GS8-B-8	Senator GS8-B	1,050	815	1,200	290
SE GS11-B-8	Senator GS11-B	1,220	870	1,300	398
SE GS15-B-8	Senator GS15-B	1,220	870	1,300	416
<b>Senator GSV-B Series Air Compressors</b>					
SE GSV8-B-8	Senator GSV8-B	1,050	815	1,200	312
SE GSV11-B-8	Senator GSV11-B	1,220	870	1,300	414
SE GSV15-B-8	Senator GSV15-B	1,220	870	1,300	435
<b>Senator GS-Series Air Compressors</b>					
SE GS4-8	Senator GS4	1,450	875	1,960	470
SE GS6-8	Senator GS6	1,450	875	1,960	486
SE GS8-8	Senator GS8	1,450	875	1,960	496
SE GS11-8	Senator GS11	1,450	875	2,060	606
SE GS15-8	Senator GS15	1,450	875	2,060	629
<b>Senator GSV-Series Air Compressors</b>					
SE GSV8-8	Senator GSV8	1,450	875	1,960	520
SE GSV11-8	Senator GSV11	1,450	875	2,060	627
SE GSV15-8	Senator GSV15	1,450	875	2,060	649
<b>Senator CS Series Air Compressors</b>					
SE CS4-8	Senator CS4	1,770	900	1,910	595
SE CS6-8	Senator CS6	1,770	900	1,910	617
SE CS8-8	Senator CS8	1,770	900	1,910	633
SE CS11-8	Senator CS11	1,790	915	2,020	765
SE CS15-8	Senator CS15	1,790	915	2,020	780
<b>Senator CSV Series Air Compressors</b>					
SE CSV8-8	Senator CSV8	1,770	900	1,910	655
SE CSV11-8	Senator CSV11	1,790	915	2,020	786
SE CSV15-8	Senator CSV15	1,790	915	2,020	810

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Senator LS Series Air Compressors</b>					
SE LS18-8	Senator LS18	1,320	975	1,610	637
SE LS22-8	Senator LS22	1,320	975	1,610	711
SE LS30-8	Senator LS30	1,530	1,100	1,890	1,000
SE LS37-8	Senator LS37	1,530	1,100	1,890	1,016
SE LS45-8	Senator LS45	1,530	1,100	1,890	1,069
SE LS55-8	Senator LS55	1,870	1,320	2,120	1,559
SE LS75-8	Senator LS75	1,870	1,320	2,120	1,719
<b>Senator LSV Series Air Compressors</b>					
SE LSV18-8	Senator LSV18	1,320	975	1,610	675
SE LSV22-8	Senator LSV22	1,320	975	1,610	741
SE LSV30-8	Senator LSV30	1,530	1,100	1,890	1,053
SE LSV37-8	Senator LSV37	1,530	1,100	1,890	1,070
SE LSV45-8	Senator LSV45	1,530	1,100	1,890	1,125
SE LSV55-8	Senator LSV55	1,870	1,320	2,120	1,625
SE LSV75-8	Senator LSV75	1,870	1,320	2,120	1,766



Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>FS-Curtis FAC Series Box Type Compressors *</b>					
FS FAC-18B	FS-Curtis FAC-18B	1,650	950	1,125	429
FS FAC-18BC	FS-Curtis FAC-18BC	1,650	950	1,125	434
FS FAC-23B	FS-Curtis FAC-23B	1,800	1,000	1,125	538
FS FAC-23BC	FS-Curtis FAC-23BC	1,800	1,000	1,125	543
FS FAC-28B	FS-Curtis FAC-28B	1,800	1,000	1,125	598
FS FAC-28BC	FS-Curtis FAC-28BC	1,800	1,000	1,125	608
FS FAC-37B	FS-Curtis FAC-37B	1,950	1,150	1,375	799
FS FAC-37BC	FS-Curtis FAC-37BC	1,950	1,150	1,375	809
FS FAC-52B	FS-Curtis FAC-52B	2,300	1,200	1,375	937
FS FAC-52BC	FS-Curtis FAC-52BC	2,300	1,200	1,375	947
FS FAC-52P WW	FS-Curtis FAC-52P WW	2,130	1,450	1,260	980
FS FAC-75B	FS-Curtis FAC-75B	2,300	1,450	1,575	1,370
FS FAC-75BC	FS-Curtis FAC-75BC	2,300	1,450	1,575	1,410
FS FAC-113P WW	FS-Curtis FAC-113P WW	2,700	1,700	1,700	1,950
FS FAC-113PC WW	FS-Curtis FAC-113PC WW	2,700	1,700	1,700	1,990

\* Dimensions and weight include timber crate.

<b>FS-Curtis FAC Series Trailer Type Compressors ^</b>					
FS FAC-52P	FS-Curtis FAC-52P	3,350	1,900	1,620	1,102
FS FAC-75P	FS-Curtis FAC-75P	3,540	2,000	1,920	1,647
FS FAC-75PC	FS-Curtis FAC-75PC	3,540	2,000	1,920	1,677

^ Dimensions and weight include timber skid.

<b>FS-Curtis ES Series Scroll Air Compressors</b>					
FS ES04-8D	FS-Curtis ES04	830	830	1,120	205
FS ES08-8D	FS-Curtis ES08	1,250	940	1,880	518
FS ES11-8D	FS-Curtis ES11	1,880	940	2,030	796
FS ES15-8D	FS-Curtis ES15	1,880	940	2,030	878

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Fusheng Vertical Air Receivers</b>					
FS V60-1485	Fusheng V60-1485	1,165	385	550	49
FS V150-1235	Fusheng V150-1235	1,810	550	690	96
FS V150-1620	Fusheng V150-1620	1,810	550	690	109
FS V300-1215	Fusheng V300-1215	2,110	610	730	159
FS V300-1505	Fusheng V300-1505	2,110	610	730	182
FS V530-1215	Fusheng V530-1215	2,250	790	930	265
FS V820-1220	Fusheng V820-1220	2,300	930	1,030	399
FS V820-1560	Fusheng V820-1560	2,300	930	1,030	480
FS V1240-1100	Fusheng V1240-1100	2,300	1,130	1,270	552
FS V1240-1395	Fusheng V1240-1395	2,300	1,130	1,270	632
FS V2400-1080	Fusheng V2400-1080	3,000	1,500	1,550	1,076
FS V5000-1145	Fusheng V5000-1145	3,900	1,820	1,880	2,080
<b>Express Tank Vertical Air Receivers</b>					
EU V150-11-AS	Express Tank V150-11-AS	1,560	560	680	72
EU V300-11-AS	Express Tank V300-11-AS	1,960	610	700	168
EU V500-11-AS	Express Tank V500-11-AS	2,360	760	880	248
EU V800-11-AS	Express Tank V800-11-AS	2,740	910	1,030	348
EU V1000-11-AS	Express Tank V1000-11-AS	2,660	1,010	1,140	444
EU V1500-11-AS	Express Tank V1500-11-AS	3,060	1,360	1,400	532
EU V2000-11-AS	Express Tank V2000-11-AS	2,860	1,460	1,580	839
<b>Fusheng Refrigerant Compressed Air Dryers</b>					
FS FR005A	Fusheng FR005A	580	370	570	23
FS FR010A	Fusheng FR010A	840	330	740	35
FS FR020A	Fusheng FR020A	930	410	860	50
FS FR030A	Fusheng FR030A	930	410	860	57
FS FR050A	Fusheng FR050A	1,110	440	1,120	99
FS FR075A	Fusheng FR075A	1,110	440	1,120	105
FS FR100A	Fusheng FR100A	1,100	595	1,370	131

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Fusheng Filters</b>					
FS T5P	Fusheng T5P Compressed Air Filter	295	110	100	1.5
FS T5U	Fusheng T5U Compressed Air Filter	295	110	100	1.5
FS T5H	Fusheng T5H Compressed Air Filter	295	110	100	1.5
FS T5C	Fusheng T5C Compressed Air Filter	295	110	100	1.5
FS T10P	Fusheng T10P Compressed Air Filter	335	105	105	1.6
FS T10U	Fusheng T10U Compressed Air Filter	335	105	105	1.6
FS T10H	Fusheng T10H Compressed Air Filter	335	105	105	1.6
FS T10C	Fusheng T10C Compressed Air Filter	335	105	105	1.6
FS T20H	Fusheng T20H Compressed Air Filter	450	145	135	4.5
FS T20C	Fusheng T20C Compressed Air Filter	450	145	135	4.5
FS T40P	Fusheng T40P Compressed Air Filter	550	140	140	4.9
FS T40U	Fusheng T40U Compressed Air Filter	550	140	140	4.9
FS T40H	Fusheng T40H Compressed Air Filter	550	140	140	4.9
FS T40C	Fusheng T40C Compressed Air Filter	550	140	140	4.9
FS T60P	Fusheng T60P Compressed Air Filter	640	135	140	5.7
FS T60U	Fusheng T60U Compressed Air Filter	640	135	140	5.7
FS T60H	Fusheng T60H Compressed Air Filter	640	135	140	5.7
FS T60C	Fusheng T60C Compressed Air Filter	640	135	140	5.7
FS T75P	Fusheng T75P Compressed Air Filter	880	140	140	7.3
FS T75U	Fusheng T75U Compressed Air Filter	880	140	140	7.3
FS T75H	Fusheng T75H Compressed Air Filter	880	140	140	7.3
FS T75C	Fusheng T75C Compressed Air Filter	880	140	140	7.3
FS T125P	Fusheng T125P Compressed Air Filter	950	190	200	11.8
FS T125U	Fusheng T125U Compressed Air Filter	950	190	200	11.8
FS T125H	Fusheng T125H Compressed Air Filter	950	190	200	11.8
FS T125C	Fusheng T125C Compressed Air Filter	950	190	200	11.8
FS T15P	Fusheng T15P Compressed Air Filter	400	100	100	1.9
FS T15U	Fusheng T15U Compressed Air Filter	400	100	100	1.9
FS T15H	Fusheng T15H Compressed Air Filter	400	100	100	1.9

Product Code	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
<b>Fusheng Filters</b>					
FS T15C	Fusheng T15C Compressed Air Filter	400	100	100	1.9
FS T20P	Fusheng T20P Compressed Air Filter	450	145	135	4.5
FS T20U	Fusheng T20U Compressed Air Filter	450	145	135	4.5
<b>Filter-Regulators &amp; Auto-Drains</b>					
TH FR502	THB FR502 Filter-Regulator with Manual Drain	290	80	80	1
TH FR502A	THB FR502 Filter-Regulator with Auto-Drain	290	80	80	1
TH FR706	THB FR706 Filter-Regulator with Manual Drain	290	80	80	1.1
TH D704A	THB D704A Automatic Drain	190	80	80	0.6
<b>Wooden Pallets</b>					
PM 600-600	600 mm x 600 mm Pine Pallet	600	600	125	7
PM 1165-585	1,165 mm x 585 mm Pine Pallet	1,165	585	125	9
PM 1165-875	1,165 mm x 875 mm Pine Pallet	1,165	875	125	13
PM 1165-1165	1,165 mm x 1,165 mm Pine Pallet	1,165	1,165	125	15
N/A	1,165 mm x 1,165 mm CHEP Pallet	1,165	1,165	150	39